



ELITMAT

FOR A BETTER LIFE AT THE WORKPLACE




Crash Stop is range of safety products for operational safety. Products from Crash Stop brand cover various needs in industrial safety such as marking hazardous areas, marking and protecting pedestrian routes, secure loading processes and protecting columns and rack systems from damage. In order to ensure the quality, our steel production is subject to annual TÜV audits.

We have made it our business to make your workplace environment safer.

As your trusted advisor, we combine expertise and passion to protect your people and assets.

Together we create safety.

For more information or a customized consultation, please contact us.



SOLUTIONS FOR WAREHOUSES



01 MODULAR SAFETY RAILING

The modular safety railing from Crash Stop is designed for optimal protection of plant and equipment, roadways and machinery. Available in both galvanized (for indoor use) and powder-coated (for outdoor use) finishes, these railings ensure durability and resilience. TÜV certified, they meet stringent German safety standards.

Features:

Durability: Galvanized for indoor use and powder-coated for outdoor use.

Certification: TÜV certified for reliable safety and quality.

Applications: Ideal for protecting industrial plants, machinery and facility roadways.

Color: Similar to RAL 1023 (traffic yellow) for high visibility.

Posts: Dimensions: 100 x 100 mm with a 200 x 200 mm base plate.

Configurations: End, middle and corner posts. Heights: 1000 mm and 500 mm.

Beams: Dimensions: 80 x 140 mm.


Lengths: 500mm, 1000 mm, 1200 mm, 1350 mm, and 1500 mm.

Options: Fixing materials available separately. **Customized solutions** available upon request.

Accessories such as swing doors, underride guards or magnet strap cassette are available separately (see pictures below).

Crash Stop's modular safety railing offers a robust and flexible solution for indoor and outdoor safety needs.

**Details see pages 32-34*





02 SAFETY BARRIER Ø 48 MM

The steel safety barrier with a 48 mm diameter pipe is ideal for separating driveways and pathways. Its yellow and black coloring ensures high visibility.

The barrier includes various parts, such as a unique adjustable post with a rotation angle of up to 270°, allowing for versatile designs. Posts have a 48 mm diameter, 2.9 mm material thickness, galvanized and powder-coated (indoor and outdoor use). They are yellow (similar to RAL 1023) with black warning stripes. The base plate is 150 x 100 x 6 mm with four 10 mm drill holes for floor mounting.

Components are easily plugged together. Floor mounting materials can be ordered separately.

**Details see page 34*



03 MODULAR WALL PROTECTION

The modular steel wall protection system secures logistics areas effectively. Its components adapt to various conditions, protecting vulnerable sections with straight elements and inside or outside corners.

Features:

Design: Straight, Ø 76 mm, height 140 mm.

Durability: Galvanized and powder-coated for outdoor use; powder-coated for indoor use.


Color: Yellow (similar to RAL 1023) with black warning stripes

Mounting: Base plate 150 x 150 x 10 mm, with two 12.5 mm screws.

Fixing materials available separately.

Certification: TÜV-certified, compliant with the DGUV 108-007 safety standard from the German Social Accident Insurance (DGUV).

**Details see page 34*




Drawing: Side view



04 L- AND U-PROFILES


The TÜV-certified Crash Stop rack protectors comply with the DGUV 108-007 safety standard from the German Social Accident Insurance (DGUV). They protect the corner supports of fixed racks from collisions. They are labelled with yellow and black warning markings. The range includes 3 versions: U-profiles, U-profile XL and L-profiles.

**Details see page 35*




05 EXPANDING BARRIERS

Our TÜV-certified expanding barriers are a space-saving, quick and flexible solution to secure hazardous areas. Each of these steel-made barriers is 1,050 mm tall and comes in white-red or yellow-black for enhanced visibility. They feature reflective foil on both sides and are powder-coated for indoor use. Our barriers comply with the DGUV 108-007 safety standard from the German Social Accident Insurance (DGUV).



39 DIFFERENT VARIANTS.

BY FAR THE MOST COMPREHENSIVE RANGE ON THE MARKET.




5.1 EXPANDING BARRIER WITH FEET

Our TÜV-certified expanding barriers are made of steel and have a height of 1,050 mm. Equipped with feet on both sides for stability, suitable for stationary placement.



**Details see page 35*



5.2 WITH CASTERS

Our TÜV-certified expanding barriers are made of steel with a height of 1,050 mm. Features casters on both sides for enhanced mobility, making it easy to reposition the barrier as needed.




**Details see page 35*



5.3 WITH CASTERS AND WALL BRACKET

Our TÜV-certified expanding barriers are made of steel and stand 1,050 mm tall. Designed for indoor use, they are powder-coated and feature casters on one side and a wall bracket on the other for versatile mounting.

**Details see page 36*



5.4 WITH POST

Available with a rectangular or round post for floor mounting.

Standard lengths of 3.6 m and 4.0 m.


**Details see page 36*



5.5 WITH BASE PLATE

Includes a mobile base plate and casters for stability and mobility, designed for posts with a diameter of 60 mm.

**Details see page 36*





5.6 EXPANDING BARRIER SETS

Offers lengths of 4 m or 16 m, featuring casters with ball bearings, handles, and self-locking nuts for easy handling and enhanced stability without floor mounting.



**Details see page 36*





5.7 EXPANDING BARRIER KIT'S FOR MODULAR SAFETY RAILING

Our TÜV-certified expanding barriers are made of powder-coated steel and stand 1,050 mm tall. This barrier is designed to be mounted on existing posts (100 x 100 mm).

**Details see page 37*

5.8 EXPANDING BARRIER KIT

Features a fixing bracket for mounting on existing posts (Ø60 mm or 70 X 70 mm), with casters and a brake.

**Details see page 37*





06 HOOP PROTECTION GUARD

Hoop protection guard with a diameter of 76 mm, galvanized (for indoor use) and powder-coated (for outdoor use). It features a yellow color (similar to RAL 1023) with black warning stripes and is 3.2 mm thick. The base plate measures 120 x 195 mm and mounts to the floor via 8 screws with a diameter of 12.5 mm. This guard is TÜV-certified compliant with the DGUV 108-007 safety standard from the German Social Accident Insurance (DGUV).

**Details see page 37*

07 HOOP GUARD WITH UNDERRIDE PROTECTION

Hoop guard with underride protection, featuring a diameter of 76 mm and powder-coated for indoor use. It comes in yellow (similar to RAL 1023) with black warning stripes and is 3.2 mm thick. The base plate measures 120 x 195 mm and mounts to the floor with 8 screws, each 12.5 mm in diameter. This guard is TÜV-certified compliant with the DGUV 108-007 safety standard from the German Social Accident Insurance (DGUV).

**Details see page 37*

08 IMPACT PROTECTION BEAM

Impact protection beam, 76 mm in diameter, galvanized and powder-coated for outdoor use. It features a yellow finish (similar to RAL 1023) with black warning stripes and is 3.2 mm thick. The base plate measures 120 x 195 mm and mounts to the floor with 8 screws, each 12.5 mm in diameter. This beam is TÜV-certified compliant with the DGUV 108-007 safety standard from the German Social Accident Insurance (DGUV).

**Details see page 38*





09 IMPACT PROTECTION BOLLARD

The impact protection bollard is galvanized and powder-coated for outdoor use. It features a yellow colour (similar to RAL 1023) with black warning stripes for high visibility. This bollard is TÜV-certified, ensuring reliable quality and safety.

**Details see page 38*



10 IMPACT CORNER PROTECTION

Impact corner protection with 600 mm arms, a diameter of 76 mm, and a material thickness of 3.2 mm. It features a base plate measuring 120 x 195 mm and is mounted to the floor via 12 screws, each with a diameter of 12.5 mm. This product is TÜV-certified.

**Details see page 38*



COLUMN PROTECTION



11 COLUMN PROTECTION

Our column protection offers reliable safeguarding for posts and columns. Easily installed by one person in seconds, it requires no tools or floor mounting thanks to reinforced Velcro fasteners. Suitable for both indoor and outdoor use. Velcro fasteners are included with your purchase.

Column protection made of polyethylene, height 1.000 mm.

**Details see page 38*



11.1 WITH WARNING STRIPES

Column protection made of polyethylene, standing 1,100 mm tall, and featuring two retro-reflective warning stripes for enhanced visibility.

For columns up to 160x160 mm, 210 x 210 mm and 260 x 260 mm.

**Details see page 38*



12 COLUMN PROTECTION

Our column protection combines high-visibility marking for critical areas with cushioning against collisions. It enhances safety for employees, assets and goods. Installation is tool-free and straightforward. The 360° protection, secured with Velcro, fully encloses the component and can be easily removed without damaging the flooring. For columns up to 100 x 100 mm.

**Details see page 39*



13 MODULAR COLUMN PROTECTION

The modular column protector is an effective solution for safeguarding posts both indoors and outdoors.

Made of shock-resistant polyethylene, it fits columns with side lengths of 200-700 mm and can be cut to size as needed.

No floor mounting is required, allowing for easy, residue-free removal. Installation is a one-person job, making it highly convenient.

**Details see page 39*



14 MODULAR COLUMN PROTECTION


Protect larger columns with ease using our versatile extension inserts, available in two sizes (110 mm and 250 mm) to fit a range of column dimensions.

The modular design and practical Velcro straps make installation fast and hassle-free—no floor or column anchoring required. For columns from 420 x 420 mm on, and endless expandable by the spacers.

This flexible solution ensures secure protection for your facility's structural elements, enhancing safety without the need for complicated setups.

**Details see page 39*


SOLUTIONS FOR WAREHOUSES



15 STEEL POST PROTECTION

Post and column protection for posts up to 400 x 400 mm, in two parts (600 x 530 mm). Galvanized and powder-coated for outdoor use, or powder-coated for indoor use, in yellow (similar to RAL 1023) with black warning stripes. The base plate is 160 x 70 mm, with 8 screws (Ø 12.5 mm) for floor mounting. This post is TÜV-certified and compliant with the DGUV 108-007 safety standard from the German Social Accident Insurance (DGUV). Ideal for protecting posts indoors and outdoors, with easy installation via base plates.

**Details see page 39*



16 PROTECTION GUARD FOR PIPES AND CABLES

These protective elements provide robust protection for pipes up to Ø 200 mm. Their various sizes, combined with yellow-black warning marks, offer an ideal solution for safeguarding pipes and reducing maintenance.

**Details see page 40*



17 IMPACT PROTECTION FOR LONG PALLETS

The impact protection for long pallets is ideal for safeguarding goods that protrude into pathways. It requires no additional mounting, as it is held in place by the weight of the pallet and can be easily removed. The yellow-black warning colors ensure high visibility.



Specifications:

Size: 860 x 400 mm

Cut-out: 620 x 300 mm

Powder-coated for indoor use

Yellow (similar to RAL 1023) with black warning stripes

**Details see page 40*



18 FLOOR MARKER

The floor marker is ideal for marking internal pathways in compliance with workplace regulations. Compatible with tape rolls of 50-75 mm, it allows easy and precise application on dry, grease-free, and dust-free surfaces.

**Details see page 40*



19 RAMP GUARDRAILS

The galvanized crash stop ramp protection guard allows you to secure ramps in industrial areas where fast access is needed. The design ensures quick removal from and insertion to the mounting sleeves. The modular system can be expanded as required via start/end sleeves and middle sleeves. Meanwhile, the flat design of the mounting sleeves ensures problem-free handling of pallets and goods.

**Details see page 40*

BARRIER POSTS

TUVNORD
TUV NORD CERT GmbH
Baumuster
geprüft
tuv-nord.de




20 BARRIER POSTS AND ACCESSORIES






30 DIFFERENT VARIANTS.
THE RIGHT POST FOR EVERY OCCASION.



BARRIER POSTS



21 CHAIN POST SET

The chain post set includes six posts, mobile base plates (7 kg), and a 25 m polyethylene chain. It is available in two color options: red-white with red reflective foil, and yellow-black.

**Details see page 41*



22 TRANSPORTATION RACK WITH CHAIN POST SET

The transport rack for the chain post set is the ideal solution for moving and storing the individual components. Equipped with casters, it ensures easy handling and transport of the items.



**Details see page 41*



23 LIGHT CHAIN POST SET

The light chain post set includes 6 posts (Ø 40 mm) with eyelets, 6 mobile base plates, and a 10 m polyethylene chain. It is designed for indoor use and is available in two color options: yellow-black and red-white.

**Details see page 41*



24 FLEXIBLE POSTS

The flexible posts are used for traffic separation and routing and for highlighting dangerous areas. High visibility due to reflective foil. The very flexible material bends upon impact and returns to its original shape. Its bayonet lock allows for easy installation and removal.

**Details see page 41*



25 FLEXIBLE POSTS WITH CHAIN

Polyurethane flexible posts are cost-effective for area delineation and marking. On impact, they deform and return to shape, offering 360° tilting. Available in various colors and heights for versatile use, they feature reflective stripes for safety. Produced in one piece, they can be floor-mounted with 3 drill holes. Caps for chain sets are available separately.

**Details see page 41*



26 FLEXIBLE POSTS

The flexible polyurethane posts are an affordable solution for area delimitation and marking. They deform upon collision and return to their original shape, offering 360° tilting. Available in various colors and heights, they feature reflective stripes for increased safety. The one-piece posts can be bolted to the floor using 3 drill holes. Caps for a chain set are available separately.

**Details see page 42*

PARKING PROTECTION



27 PARK STOP

The park stop offers a simple solution for clearly marked parking spaces while also providing protection against vehicle damage and impact to buildings or walls. Made from 100% recycled rubber, it is suitable for both indoor and outdoor use and remains unaffected by UV rays and cold weather. Installation is easy using pre-drilled holes and screws, and its yellow reflective warning markings ensure high visibility and durability.

**Details see page 42*



28 HEAVY-DUTY WHEEL STOP

The heavy-duty truck wheel stop is a durable parking barrier made from high-density recycled rubber, designed for long-term use. Ideal for trucks, buses and industrial vehicles, it prevents damage to vehicles and structures. Equipped with yellow reflective markings for visibility, it also accommodates cables up to 20mm in diameter and features pre-drilled holes for easy screw mounting.

**Details see page 42*



29 CURB RAMP

The curb ramps provide barrier-free access to sidewalks, garage entrances, or industrial areas. Their profiled surface ensures solid grip for motor vehicles, bicycles, wheelchairs, or forklifts. They can be mounted to the ground for permanent installation and feature channels for water drainage or cable tunnels. Made from durable material, they withstand environmental influences for long-term use.

**Details see page 42*



30 SPEED RAMPS

Made from up to 70% recycled rubber. Increased visibility due to yellow-black warning marking. High signalling effect due to integrated reflectors. Quick and easy to use.

Height: 50 mm or 75 mm.

Recommended max. speed:

Height 50 mm: max. 20 km/h

Height 75 mm: max. 10 km/h

**Details see page 43*



31 HOSE & CABLE PROTECTOR

Quick-to-use protection for hoses and cables in traffic areas. The 3 inlets on the bottom allow the insertion of cables and hoses of up to Ø 40 mm. The grooved bottom side prevents shifting to enable fast crossing. The hose and cable bridges are completely imbued to ensure long-term use. The variants are available in different lengths to serve all areas.

**Details see page 43*



32 HOSE & CABLE BRIDGE

These hose and cable bridges are the best possible protection for hoses and cables for both in- and outdoors. They are colored all the way through. If necessary, the individual parts can be connected. The resilience allows the passage of trucks of up to 40 t and ensures functionality under all weather conditions.

**Details see page 43*



33 CABLE PROTECTOR WITH LID

The modular cable protector with lid are a reliable protection in streets or pathways. The yellow-black coloring allows fast recognition. The individual elements can be connected via connectors on either side. Cables are easily inserted from above. The lid is made of a highly resistant plastic. The chamfered sides allow for a smooth passage and trouble-free traffic flow.

**Details see page 44*

BARRIER FENCES



34 BARRIER FENCE

The barrier fences are the perfect solution for blocking off and marking obstacles. The big and solid feet in combination with the hook-and-eye element ensure high stability.

A storage rack is available for the barrier fences. Rotatable feet are for easy storage and transportation.

Red-white reflective foil (type RA1) for optimal visibility.

**Details see page 44*



35 QUICK BARRIER FENCE

The two-piece or three-piece barrier fence offers a quick and cost-effective way to secure hazardous areas. Featuring red and white reflective warning markings for increased visibility, the modular design allows for easy expansion with clip connectors. Its lightweight, foldable modules ensure easy storage and transport.

**Details see page 45*



36 DSV1 TRAILER STAND

The DVS1 telescopic loading support is TÜV-certified and helps to increase safety when loading and unloading trailers/semi-trailers with a total weight of up to 40 tonnes. It can prevent the trailer from tipping over during loading and unloading. As the DVS1 does not have to be positioned flush under the trailer, but is only under load in the event of an accident (tipping over of the trailer), it is easy to maintain. In accordance with DGUV 208-006 and DGUV 208-009, additional protection during loading and unloading work is strongly recommended by the employers' liability insurance association (VGB). The height of the telescopic device can be adjusted from 1023 mm to 1344 mm.

Our DVS1 is characterised by its simple and user-friendly operation and handling, low maintenance and ease of cleaning.

**Details see page 45*




37 DSV2 TRAILER STAND

The DVS2 telescopic loading support is TÜV-certified, designed to enhance safety when loading and unloading trailers or semi-trailers with a total weight of up to 40 tonnes. It helps prevent trailer tipping during loading activities and only engages under load in the event of an emergency, such as a tipping incident, making it low-maintenance and easy to manage. This device complies with DGUV regulations 208-006 and 208-009, following recommendations from the employer's liability insurance association (VGB) for additional safety measures during loading operations. With an adjustable height range of 900-1022 mm, the DVS2 is user-friendly, simple to maintain, and easy to clean. Available in RAL 3020.

**Details see page 45*





38 TRUCK WHEEL GUIDE

The 3,000 mm long truck positioning aids are expertly designed for transport and mounting, making them an ideal addition to loading ramps.

Available in yellow-black or red-white, these modular aids ensure a safe and easy docking process while protecting buildings and dock shelters.

Floor anchors for the sturdy Ø 159 mm construction are available separately (Art.-No. LKW-EFH-FIX).

To ease docking, the front section of the positioning aid features a 15° angle opening.

**Details see page 45*






39 WARNING AND PROTECTION WALL KITS

The Wall Protection Kit offers robust protection for high-impact walls, secured with an exceptionally stable screw-mounted system. Unlike traditional self-adhesive protection systems that often fail to adhere securely to all surfaces, the screw-mounting of this kit ensures a durable and resilient installation. This method prevents the protection from shifting or detaching, even under heavy use or high impact.

Installation is straightforward: the protective panels are positioned at the desired location and securely anchored to the wall. This provides maximum stability and durability, even in high-traffic areas such as driveways, corridors, and public facilities.

**Details see page 45*



PROFILES



40 WARNING AND PROTECTION PROFILES

Warning and protection profiles are very versatile and can be used on machines, vehicles, walls, corners or in transportation lanes. They are a fail-safe measure to protect both employees and equipments from accidents.

The warning and protection profiles are easily attached due to strong adhesive strips. If necessary, they can be cut to size. Once the protective foil has been removed, the profile only needs to be pressed onto the clean surface for a short amount of time.

A strong, light- and aging-resistant acrylate glue is used on all adhesive profiles (21 N/25 mm). The warning and protection profiles are available as 1 m pieces, 5 m rolls or in customized lengths (cut from 1 metre to an accuracy of 10cm).

**Details see page 46*





40.1 CORNER PROTECTION



01 MODULAR SAFETY RAILING

BEAMS FOR SAFETY RAILING



Item No. inoor use	Item No. outdoor use	Width
B-50	B+50	50 cm
B-75	B+75	75 cm
B-100	B+100	100 cm
B-120	B+120	120 cm
B-135	B+135	135 cm
B-150	B+150	150 cm
B-200	B+200	200 cm



POSTS FOR SAFETY RAILING



Description	Post 50 cm		Post 100 cm	
	Item No. indoor use	Item No. outdoor use	Item No. indoor use	Item No. outdoor use
End post	PE-50	PE+50	PE-100	PE+100
Middle post	PM-50	PM+50	PM-100	PM+100
Corner post	PW-50	PW+50	PW-100	PW+100
Single post			P-100	P+100
Floor anchor 85 mm, galvanized, Item No. FIX 1				
Floor anchor set of 4 pieces Item No. FIX 4				



POST WITH REMOVAL BRACKETS



Item No.	Description	Height
PEE-100	End post with removal bracket	100 cm
PME-100	Middle post with removal brackets on both sides	100 cm
PWE-100	Corner posts with removal bracket	100 cm
PMES-100	Middle post with removal bracket on one side and permanent connection on the other	100 cm
FIX 4	Floor anchor 85 mm galvanized set of 4 pieces	



SWING GATE FOR SAFETY RAILING




Item No.	Description	Total width	Passage width max.
SWTSG-	Swing gate	1070 mm	850 mm
SWTWM	Swing gate for wall mounting	870 mm	820 mm
SWTSG-PE	Swing gate with end post	1070 mm	850 mm
FIX 8	Floor anchor 85mm galvanized set of 8 pcs.		



SLIDE GATE FOR SAFETY RAILING



Item No.	Description	Total width	Passage width max.
SBTSG-100	Slide gate	2760 mm	1000 mm
SBTSG-150	Slide gate	3760 mm	1500 mm
FIX 8	Floor anchor 85mm galvanized set of 8 pcs.		



UNDERRIDE GUARD



Item No.	Length
UFSSG-50	Length 380 mm
UFSSG-100	Length 880 mm
UFSSG-120	Length 1080 mm
UFSSG-135	Length 1230 mm
UFSSG-150	Length 1380 mm
UFSSG-200	Length 1880 mm



MAGNETIC RETRACTABLE BARRIER

Item No.	Color band / holder	Size strap	Size cassette
MGB-GS	Yellow-black	50 X 4600 mm	118 X 143 X 85 mm
MGB-RW	Red-white	50 X 4600 mm	118 X 143 X 85 mm



WALL BRACKET FOR SAFETY RAILING



Item No.	Description	Size
WSG+	Wall bracket	110 x 120 x 60 mm
WSGE+	Wall bracket with removal straps	110 x 120 x 60 mm
FIX 8	Floor anchor 85mm galvanized set of 8 pcs.	




MAGNET WITH HOOK

Item No.	Description	Length	Width
TOMA+ZIH	Magnet with hook	35 mm	35 mm



02 SAFETY BARRIER Ø 48 MM

Item No.	Description	Height	Width
E-SG	End post	1000 mm	250 mm
W-SG	Corner post	1000 mm	250 / 500 mm
M-SG	Middle post	1000 mm	500 mm
VE-SG	Modular corner post	1000 mm	250 / 500 mm
RH-SG 50	Beam 500 mm width		
RH-SG 100	Beam 1000 mm width		
RH-SG 150	Beam 1500 mm width		
FIX 4	Floor anchor 85 mm galvanized set of 4 pieces		



03 MODULAR WALL PROTECTION



Item No. powder coated	Item No. galvanized and powder coated	Description	Depth	Width
80-500-	80-500	Wall protection	180 mm	500 mm
80-1000-	80-1000	Wall protection	180 mm	1000 mm
80-500WLA-	80-500WLA	Corner 90° left outside	180 mm	500 mm
80-500WLI-	80-500WLI	Corner 90° left inside	180 mm	500 mm
80-500WRA-	80-500WRA	Corner 90° right outside	180 mm	500 mm
80-500WRI-	80-500WRI	Corner 90° right inside	180 mm	500 mm
80-1000WLA-	80-1000WLA	Corner 90° left outside	180 mm	1000 mm
80-1000WLI-	80-1000WLI	Corner 90° left inside	180 mm	1000 mm
80-1000WRA-	80-1000WRA	Corner 90° right outside	180 mm	1000 mm
80-1000WRI	80-1000WRI	Corner 90° right inside	180 mm	1000 mm

Floor anchor 85 mm galvanized set of 4 pieces Item No. FIX 4 / 1 piece Item No. FIX 1



04 L- AND U-PROFILES




Item No.	Description	Height	Length	Width
6250	U-profile 125 mm inside	400 mm	205 mm	255 mm
6255	U-profile XL 160 mm inside	400 mm	205 mm	280 mm
6260	L-Profile	400 mm	230 mm	230 mm
6261	L-Profile	800 mm	230 mm	230 mm
FIX 4	Floor anchor 85mm galvanized set of 4 pcs.			



5.1 EXPANDING BARRIER WITH FEET



Item No.	Material flat steel	Width	Color	Folded width total
70-10	4 x 25 mm	3600 mm	red-white	approx. 335 mm
70-20	5 x 40 mm	4000 mm	red-white	approx. 430 mm
70-30	4 x 25 mm	3600 mm	yellow-black	approx. 335 mm
70-40	5 x 40 mm	4000 mm	yellow-black	approx. 430 mm
BL	Access protection for expanding barriers. With 2 keys.			



5.2 EXPANDING BARRIER WITH CASTERS



Item No.	Material flat steel	Width	Color	Folded width total
70-10R	4 x 25 mm	3600 mm	red-white	approx. 335 mm
70-20R	5 x 40 mm	4000 mm	red-white	approx. 430 mm
70-30R	4 x 25 mm	3600 mm	yellow-black	approx. 335 mm
70-40R	5 x 40 mm	4000 mm	yellow-black	approx. 430 mm
BL	Access protection for expanding barriers. With 2 keys.			



5.3 EXPANDING BARRIER WITH CASTERS AND WALL BRACKET



Item No.	Material flat steel	Width	Color	Folded width total
70-10W	4 x 25 mm	3600 mm	red-white	approx. 300 mm
70-20W	5 x 40 mm	4000 mm	red-white	approx. 390 mm
70-30W	4 x 25 mm	3600 mm	yellow-black	approx. 300 mm
70-40W	5 x 40 mm	4000 mm	yellow-black	approx. 390 mm
BL	Access protection for expanding barriers. With 2 keys.			



5.4 EXPANDING BARRIER WITH POST



Item No.	Material flat steel	Width	Post	Color	Folded width total
70-55	4 x 25 mm	3600 mm	ø 60 mm	red-white	approx. 400 mm
70-60	5 x 40 mm	4000 mm	ø 60 mm	red-white	approx. 490 mm
70-65	4 x 25 mm	3600 mm	ø 60 mm	yellow-black	approx. 400 mm
70-70	5 x 40 mm	4000 mm	ø 60 mm	yellow-black	approx. 490 mm
70-95	4 x 25 mm	3600 mm	70 x 70 mm	red-white	approx. 410 mm
70-100	5 x 40 mm	4000 mm	70 x 70 mm	red-white	approx. 500 mm
70-105	4 x 25 mm	3600 mm	70 x 70 mm	yellow-black	approx. 410 mm
70-110	5 x 40 mm	4000 mm	70 x 70 mm	yellow-black	approx. 500 mm
BL	Access protection for expanding barriers. With 2 keys.				



5.5 EXPANDING BARRIER WITH BASE PLATE



Item No.	Material flat steel	Width	Post	Color	Folded width total
70-75	4 x 25 mm	3600 mm	ø 60 mm	red-white	approx. 490 mm
70-80	5 x 40 mm	4000 mm	ø 60 mm	red-white	approx. 620 mm
70-85	4 x 25 mm	3600 mm	ø 60 mm	yellow-black	approx. 490 mm
70-90	5 x 40 mm	4000 mm	ø 60 mm	yellow-black	approx. 620 mm
BL	Access protection for expanding barriers. With 2 keys.				



5.6 EXPANDING BARRIER SETS



Item No.	Description	Width	Folded width total
70-115	Expanding barrier, galvanized and powder coated, red-white	2 x 2000 mm	approx. 1160 mm
70-125	Expanding barrier, galvanized and powder coated, yellow-black	2 x 2000 mm	approx. 1160 mm
70-120	Expanding barrier, galvanized and powder coated, red-white	2 x 8000 mm	approx. 2340 mm
70-130	Expanding barrier, galvanized and powder coated, yellow-black	2 x 8000 mm	approx. 2340mm
BL	Access protection for expanding barriers. With 2 keys.		

5.7 EXPANDING BARRIER KIT'S FOR MODULAR SAFETY RAILING



Item No.	Material flat steel	Width	Color	Folded width total
KIT SG 70-30	4 x 25 mm	3600 mm	yellow-black	approx. 335 mm
KIT SG 70-40	5 x 40 mm	4000 mm	yellow-black	approx. 430 mm
BL	Access protection for expanding barriers. With 2 keys.			



5.8 EXPANDING BARRIER KIT



Item No.	Material flat steel	Width	Post	Color	Folded width total
KIT 70-60	5 x 40 mm	4000 mm	ø 60 mm	red-white	approx. 430 mm
KIT 70-65	4 x 25 mm	3600 mm	ø 60 mm	yellow-black	approx. 335 mm
KIT 70-105	4 x 25 mm	3600 mm	70 x 70 mm	yellow-black	approx. 345 mm
BL	Access protection for expanding barriers. With 2 keys.				

06 HOOP PROTECTION GUARD



Item No. powder coated	Item No. Galvanized and powder coated	Height	Width
30-10-	30-10	350 mm	545 mm
30-20-	30-20	350 mm	870 mm
30-30-	30-30	350 mm	1120 mm
30-40-	30-40	600 mm	870 mm
30-50-	30-50	600 mm	1120 mm
30-60-	30-60	1200 mm	870 mm
30-70-	30-70	1200 mm	1120 mm
30-00	Mounting plate for impact protection		
Fix 8	Floor anchor 85 mm galvanized set of 8 pieces		



07 HOOP GUARD WITH UNDERRIDE PROTECTION



Item No.	Height	Width	Height underride guard
30-20-U	355 mm	795 mm	150 mm
30-30-U	350 mm	1045 mm	150 mm
30-40-U	600 mm	790 mm	400 mm
30-50-U	605 mm	1045 mm	400 mm
FIX 8	Floor anchor 85 mm galvanized set of 8 pieces		



08 IMPACT PROTECTION BEAM



Item No.	Height	Length	Width
60-10	8 mm	195 mm	400 mm
60-20	8 mm	195 mm	800 mm
60-30	8 mm	195 mm	1200 mm
FIX 8	Floor anchor 85 mm galvanized set of 8 pieces		



09 IMPACT PROTECTION BOLLARD



Item No.	Diameter	Base plate	Material thickness	Height
50-10	ø 76 mm	120 x 195 mm	3,0 mm	1200 mm
50-25	ø 89 mm	140 x 200 mm	3,5 mm	1200 mm
50-40	ø 159 mm	240 x 240 mm	4,0 mm	1200 mm
50-20	ø 89 mm	-	3,0 mm	1600 mm
50-30	ø 159 mm	-	4,0 mm	1600 mm
FIX 4	Floor anchor 85 mm galvanized set of 4 pieces			



10 IMPACT CORNER PROTECTION




Item No. powder coated	Item No. galvanized and powder coated	Height	Length
40-10-	40-10	350 mm	682 mm
40-20-	40-20	600 mm	682 mm
40-30-	40-30	1200 mm	682 mm
FIX 4	Floor anchor 85 mm galvanized set of 4 pieces		




11 COLUMN PROTECTION

Item No.	for columns	Height	Length	Width
30140	100 x 100 mm	1000 mm	360 mm	400
30150	150 x 150 mm	1000 mm	360 mm	400



11.1 WITH WARNING STRIPES

Item No.	for columns	Diameter
30110	160 x 160 mm	ø 620 mm
30120	210 x 210 mm	ø 620 mm
30130	260 x 260 mm	ø 620 mm



12 COLUMN PROTECTION

Item No.	for Columns	Height	Length	Width
SSG-PE	100 x 100 mm	1000 mm	180 mm	180 mm



13 MODULAR COLUMN PROTECTION

Item No.	for Columns	Height	Length	Width
30610	200 - 700 mm	1000 mm	200 mm	765 mm



14 MODULAR COLUMN PROTECTION

Item No.	for Columns	Description	Height	Length	Width
30160	420 x 420 mm	Square column protection	1080 mm	180 mm	800 mm
30160-1		1 pair of column protectors 110 incl. straps	1080 mm	180 mm	110 mm
30160-2		1 pair of column protectors 210 incl. straps	1080 mm	180 mm	210 mm



15 COLUMN PROTECTION

Item No. powder coated	Item No. powder coated and galvanized	Height	Length	Width
SRR-500-	SRR-500	600 mm	530 mm	620 mm
Floor anchors 85 mm galvanized set of 8 pieces Item No. FIX 8				



16 PROTECTION GUARD FOR PIPES AND CABLES

Item No. powder coated	Item No. powder coated and galvanized	Height	Length	Width
RS-500-	RS-500	500 mm	230 mm	395 mm
RS-1000-	RS-1000	1000 mm	230 mm	395 mm



17 IMPACT PROTECTION FOR LONG PALLETS

Item No.	Height	Length	Width
6270	400 mm	195 mm	860 mm




18 FLOOR MARKER

Item No.	Description	Height	Length	Width
BMG	Floor marker for tape rolls 50-75 mm	870 mm	140 mm	260 mm
Ground marking tape for floor marker, PVC, 5 pieces per set, water resistant, with non-corrosive and resistant glue				
SET-MB-G-50	Ground marking tape	yellow		
SET-MB-G-75	Ground marking tape	yellow		
SET-MB-GS-50	Ground marking tape	yellow-black		
SET-MB-GS-75	Ground marking tape	yellow-black		
Ground marking tape, made of metal, can be driven over, material thickness 0,7 mm, width 100 mm				
MB-ST1	Ground marking tape	yellow		
MB-ST2	Ground marking tape	yellow		



19 RAMP GUARDRAILS

Item No.	Description	Product height	Mounted height	Width
RSG-1000	Ramp guardrail with cross bar, galvanized	1300 mm	1100 mm	974 mm
Item No.	Description	Product height	Length	Width
RSG-MH	Mounting sleeve initial-end	200 mm	195 mm	200 mm
RSG-AEH	Central mounting sleeve	200 mm	195 mm	130 mm



20 BARRIER POSTS AND ACCESSORIES

21 CHAIN POST SET



Item No.	Description	Height	Length	Width
KPS-GS	Chain post set yellow-black	1000 mm	380 mm	25 mm
KPS-RW	Chain post set red-white with red reflecting foil	1000 mm	380 mm	25 mm



22 TRANSPORTATION RACK WITH CHAIN POST SET



Item No.	Description	Height	Length	Width
KPS-TG-2-GS	Transport rack and chain post set yellow-black 25 m	960 mm	400 mm	640 mm
KPS-TG-2-RW	Transport rack and chain post set red-white 25 m	960 mm	400 mm	640 mm
KPS-BAG	Protective storage case	560 mm	545 mm	745 mm



23 LIGHT CHAIN POST SET

Item No.	Description	Height	Length	Width
SET-LKP-GS	Chain post set yellow-black	825 mm	270 mm	10 m
SET-LKP-RW	Chain post set red-white	825 mm	270 mm	10 m



24 FLEXIBLE POSTS

Item No.	Description	Height	Ø post	Ø footplate
SB450	Self-erecting barrier post 450	450 mm	100 mm	260 mm
SB750	Self-erecting barrier post 750	750 mm	100 mm	260 mm
SB1000	Self-erecting barrier post 1000	1000 mm	100 mm	360 mm
SB-FIX	Fixing material set of 3 screws, dowels and washer			



25 FLEXIBLE POSTS WITH CHAIN

Item No.	Height	Length	Width
SET-FP-GS-750	750 mm	220 mm	10 m
SET-FP-GS-1000	1000 mm	220 mm	10 m
FP-FIX	Fixing material set of 3 screws and dowels		



26 FLEXIBLE POSTS

Item No.	Color	Height	Ø post	Ø foot plate
FP750	Orange	750 mm	80 mm	200 mm
FP750 S	Black	750 mm	80 mm	200 mm
FP1000	Orange	1000 mm	80 mm	200 mm
FP1000 S	Black	1000 mm	80 mm	200 mm
FP-FIX	Fixing material set of 3 screws and dowels			



27 PARK STOP

Item No.	Height	Length	Width
PS 90	105 mm	150 mm	900 mm
PS 180	105 mm	150 mm	1800 mm
PS 90 FIX	Fixing Material for PS 90		
PS 180 FIX	Fixing Material for PS 180		




28 HEAVY-DUTY WHEEL STOP

Item No.	Description	Height	Length	Width
HDWS 100	Heavy-duty wheel stop	150 mm	300 mm	1000 mm
FS-FIX	Fixing material			



29 CURB RAMP

Item No.	Height	Length	Width
BSR100	100 mm	300 mm	600 mm
BSR150	150 mm	355 mm	600 mm



30 SPEED RAMPS

Item No.	Description	Height	Length	Width
45010	Middlepiece yellow	50 mm	400 mm	500 mm
45011	Middlepiece black	50 mm	400 mm	500 mm
45020	Start piece, male, yellow	50 mm	400 mm	200 mm
45021	Start piece, male, black	50 mm	400 mm	200 mm
45030	End piece, female, yellow	50 mm	400 mm	200 mm
45031	End piece, female, black	50 mm	400 mm	200 mm
47510	Middlepiece yellow	75 mm	400 mm	500 mm
47511	Middlepiece black	75 mm	400 mm	500 mm
47520	Start piece, male, yellow	75 mm	400 mm	200 mm
47521	Start piece, male, black	75 mm	400 mm	200 mm
47530	End piece, female, yellow	75 mm	400 mm	200 mm
47531	End piece, female, black	75 mm	400 mm	200 mm



31 HOSE & CABLE PROTECTOR

Item No.	Description	Height	Length	Width
20012	Cable protector yellow	65 mm	200 mm	1200 mm
20014	Cable protector black	65 mm	200 mm	1200 mm
20010	Cable protector yellow	65 mm	200 mm	1500 mm



32 HOSE & CABLE PROTECTOR

Item No.	Color	Height	Length	Width
20020	black	90 mm	830 mm	300 mm
20070	black	90 mm	830 mm	680 mm
20025	yellow	90 mm	830 mm	300 mm
20075	yellow	90 mm	830 mm	680 mm



33 CABLE PROTECTOR WITH LID

Item No.	Number tunnels	Height	Length	Width
200D2K	2 tunnels each 32 x 30 mm	45 mm	1015 mm	240 mm
200D2K45L	2 tunnels each 32 x 30 mm, 45° left	45 mm	375 mm	240 mm
200D2K45R	2 tunnels each 32 x 30 mm, 45° right	45 mm	375 mm	240 mm
200D2KA	2 tunnels each 32 x 30 mm, Start piece	45 mm	235 mm	240 mm
200D2KE	2 tunnels each 32 x 30 mm, End piece	45 mm	200 mm	240 mm
200D3K	3 tunnels 50 mm x 68 / 57 / 65 mm	70 mm	935 mm	500 mm
200D3K45L	3 tunnels 50 mm x 68 / 57 / 65 mm, 45° left	70 mm	570 mm	540 mm
200D3K45R	3 tunnels 50 mm x 68 / 57 / 65 mm, 45° right	70 mm	570 mm	500 mm
200D3KE	3 tunnels 50 mm x 68 / 57 / 65 mm, End piece	70 mm	200 mm	500 mm
200D3KA	3 tunnels 50 mm x 68 / 57 / 65 mm, Start piece	70 mm	235 mm	500 mm
200D5K	5 tunnels each 35,3 x 38 mm	50 mm	935 mm	500 mm
200D5K45L	5 tunnels each 35,3 x 38 mm, 45° left	50 mm	570 mm	540 mm
200D5K45R	5 tunnels each 35,3 x 38 mm, 45° right	50 mm	570 mm	540 mm
200D5KE	5 tunnels each 35,3 x 38 mm, End piece	50 mm	235 mm	500 mm
200D5KA	5 tunnels each 35,3 x 38 mm, Start piece	50 mm	200 mm	500 mm



34 BARRIER FENCE

Item No.	Description	Height	Length	Width
20001	Fence white	1000 mm	660 mm	2000 mm
20002	Fence yellow	1000 mm	660 mm	2000 mm
LTG-AG	Storage and transport rack, galv.	1250 mm	820 mm	1700 mm
VE-LTG-20001	Complete set: storage and transport rack incl. 15 pieces white barrier fences	1250 mm	820 mm	1700 mm
VE-LTG-20002	Complete set: storage and transport rack incl. 15 pieces yellow barrier fences	1250 mm	820 mm	1700 mm



35 QUICK BARRIER FENCE

Item No.	Description	Height	Length	Width
20005	Fence with 2 parts	800 mm	30 mm	1940 mm
20006	Fence with 3 parts	800 mm	30 mm	2910 mm



36 DSV1 TRAILER STAND

Item No.	Description	Height	Length	Width
DVS1	Trailer stand	1023 - 1344 mm	670 mm	760 mm



37 DSV2 TRAILER STAND

Item No.	Description	Height	Length	Width
DVS2	Trailer stand	900 - 1022 mm	670 mm	760 mm



38 TRUCK WHEEL GUIDE

Item No.	Color	Height	Length	Width
LKW-EFH-A GS	Yellow black	310 mm	3000 mm	300 mm
LKW-EFH-A RW	Red White	310 mm	3000 mm	300 mm
LKW-EFH-FIX	Fixing material			



39 WARNING AND PROTECTION WALL KITS

Item No.	Description	Height	Length	Width
12010	Wall protection corner typ H+	85 mm	1000 mm	85 mm
12011	Wall protection surface typ S	20 mm	1000 mm	120 mm
12012	Wall protection kit typ A+	60 mm	1000 mm	60 mm
12013	Wall protection kit typ A	40 mm	1000 mm	80 mm
12014	Wall protection kit typ E	75 mm	1000 mm	75 mm
12015	Wall protection kit typ F	15 mm	1000 mm	80 mm
12016	Wall protection kit typ C+	35 mm	1000 mm	70 mm
14010	Wall protection kit typ H+	63 mm	500 mm	63 mm
14011	Wall protection kit typ S	20 mm	500 mm	75 mm
14012	Wall protection kit typ A+	60 mm	500 mm	60 mm
14013	Wall protection kit typ C+	40 mm	500 mm	120 mm







40 WARNING AND PROTECTION PROFILES

Item	Corner protection					
Profile mm						
	Type A	Type A+	Type AA	Type E	Type H	Type H+
1m-piece Item No.	10010	11013	11010	10015	11110	11014
Roll Item No.	10020, 5 m roll	11023, 3 m roll	11020, 5 m roll	10024, 5 m roll	11120, 5 m roll	-
Linear meter Item No.	10040	11043	11040	10044	11140	-
Fixing	self-adhesive					

Item	Pipe protection		Edge protection		Edge protection
Profile mm					
	Type R30	Type R50	Type B	Type BB	Type G
1m-piece Item No.	10017	10014	10011	11011	10019
5 m roll Item No.	10027	not available	10021	11021	10026
Linear meter Item No.	10047	not available	10041	11041	10046
Fixing	self-adhesive		to clip on		self-adhesive

Item	Surface protection			
Profile mm				
	Type F	Type D	Type C	Type CC
1m-Piece Item No.	10016	10013	10012	11012
5 m roll Item No.	10025	10023	10022	11022
Linear meter Item No.	10045	10043	10042	11042
Fixing	self-adhesive			

40.1 CORNER PROTECTION

Available in versions for profiles type A, type H and type E, black						
Proile mm						
	Corner Type A, 2D	Corner Type A, 3D	Corner Type H, 2D	Corner Type H, 3D	Corner Type E, 2D	Corner Type E, 3D
Item No. black	10810	10811	10814	10815	10812	10813
Fixing	self-adhesive					

ELITMAT

FOR A BETTER LIFE AT THE WORKPLACE



Our references:

SKODA Continental LEONI



MOBIS




MAHLE



Panasonic



www.elitmat.eu



Elitmat s.r.o.
Beckovská 32, Nové Mesto n./Váh.
Slovenská republika
+421 917 979 772
info@elitmat.sk



Elitmat Czech s.r.o.
Chodovská 228/3, Praha
Česká republika
+420 773 931 555
info@elitmat.cz



Elitmat GmbH
Seidlgasse 41/9, Wien
Österreich
+43 664 5205 591
info@elitmat.at

www.elitmat.sk

www.elitmat.cz

www.elitmat.at

